

**QA** Testing

1 of 6

# Lemon, Lime, Mint Tincture 1500

Sample ID: 1906BCL0038.0128 Strain: cbd Matrix: Ingestible Type: Liquid Fats (Oils) Sample Size: ; Batch: 4,500 units

Produced: Collected: Received: 06/12/2019 Completed: 06/15/2019 Batch#: CBDFX-LLM-1500-C3-0619

Client CBD FX Lic.# 19801 Nordhoff Place #107 Chatsworth, CA 91311

#### Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	06/12/2019	Complete
<b>Residual Solvents</b>	06/12/2019	Pass
Microbials	06/13/2019	Pass
Mycotoxins	06/13/2019	Pass
Pesticides	06/12/2019	Pass
Heavy Metals	06/13/2019	Pass

### Cannabinoids

Complete

	ND	1,6	50.00 mg/u	init	1,650.00 mg/unit
	Total THC		Total CBD		Total Cannabinoids
Analyte	LOD	LOQ	Result	Result	
	mg/g	mg/g	mg/unit	mg/g	OKIES
THCa	0.12	0.36	ND	ND	
Δ9-THC	0.20	0.59	ND	ND	
∆8-THC	0.24	0.71	ND	ND	
THCV	0.16	0.50	ND	ND	
CBDa	0.18	0.55	ND	ND	
CBD	0.13	0.40	1650.00	55.00	
CBDV	0.10	0.32	ND	ND	
CBN	0.11	0.33	ND	ND	
CBGa	0.13	0.39	ND	ND	
CBG	0.13	0.39	ND	ND	
CBC	0.11	0.39	ND	ND	
Total THC			ND	ND	
Total CBD			1650.00	55.00	
Total			1650.00	55.00	

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids Test Method: HPLC SOP-101

NT <sub>Not Tested</sub> Moisture Content	NT <sub>Not Tested</sub> Water Activity	<b>Not Tested</b> Foreign Matter	
	Mohammad Lutfi Lab Director 06/15/2019	Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com	C C C C C C C C C C C C C C C C C C C

06/15/2019 All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;



BioCann Laboratory, LLC 1370 Reynolds ave suit 103 Irvine, CA 92614

(888) 614-0683 www.biocannlab.com Lic# 18-0003

2 of 6

Pass

# Lemon, Lime, Mint Tincture 1500

Sample ID: 1906BCL0038.0128	Produced:	Client
Strain: cbd	Collected:	CBD FX
Matrix: Ingestible	Received: 06/12/2019	Lic. #
Type: Liquid Fats (Oils)	Completed: 06/15/2019	19801 Nordhoff Place #107
Sample Size: ; Batch: 4,500 units	Batch#: CBDFX-LLM-1500-C3-0619	Chatsworth, CA 91311

### Pesticides

Analyte LOD LOQ Mass Status Analyte LOD LOQ Limit Mass Status Limit µg/g µg/g µg/g µg/g µg/g µg/g µg/g µg/g Bifenazate 0.0005 0.05 ND Pass Imidacloprid 0.0005 0.05 ND Pass 0.05 9 0.0005 0.05 0.5 ND 0.0005 ND Bifenthrin Pass Myclobutanil Pass Pass Cyfluthrin 0.05 0.1 ND 0.005 0.05 12 ND Pass Spiromesifen 1 1.5 0.0005 0.05 Etoxazole 0.0005 ND Pass Trifloxystrobin 30 ND Pass Imazalil 0.005 0.05 0.005 ND Pass



Date Tested: 06/12/2019 NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Pesticides Test Method: LC/MS FID SOP-301



**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Mohammad Lutfi Lab Director

All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;



**BioCann Laboratory, LLC** 1370 Reynolds ave suit 103 Irvine, CA 92614

(888) 614-0683 www.biocannlab.com Lic# 18-0003

3 of 6

# Lemon, Lime, Mint Tincture 1500

Sample ID: 1906BCL0038.0128 Strain: cbd Matrix: Ingestible Type: Liquid Fats (Oils) Sample Size: ; Batch: 4,500 units

Produced: Collected: Received: 06/12/2019 Completed: 06/15/2019 Batch#: CBDFX-LLM-1500-C3-0619

### Microbials

#### Analyte

Aspergillus Shiga toxin-producing E. Coli Salmonella

Client CBD FX Lic.# 19801 Nordhoff Place #107 Chatsworth, CA 91311

Pass

Result CFU/g Not Detected in 1g Not Detected in 1g Not Detected in 1g



Date Tested: 06/13/2019 NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Microbials Test Method: PCR SOP-401



**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Mohammad Lutfi Lab Director

All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;



4 of 6

Pass

# Lemon, Lime, Mint Tincture 1500

Type: Liquid Fats (Oils)Completed: 06/15/201919801 Nordhoff Place #107
ample Size: ; Batch: 4,500 units Batch#: CBDFX-LLM-1500-C3-0619 Chatsworth, CA 91311

### Mycotoxins

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	5	20		ND	Tested
B2	5	20		ND	Tested
G1	5	20		ND	Tested
G2	5	20		ND	Tested
Ochratoxin A	5	20	20	<loq< td=""><td>Pass</td></loq<>	Pass
Total Aflatoxins	5	20	20	ND	Pass



Date Tested: 06/13/2019

NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Mycotoxins Test Method: VICAM/WATERS SOP-501





**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Mohammad Lutfi Lab Director

Clab Director O(715/2019 All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;



**QA** Testing

5 of 6

Pass

# Lemon, Lime, Mint Tincture 1500

Sample ID: 1906BCL0038.0128 Strain: cbd	Produced: Collected:	Client CBD FX	
Matrix: Ingestible	Received: 06/12/2019	Lic. #	
Type: Liquid Fats (Oils)	Completed: 06/15/2019	19801 Nordhoff Place #107	
Sample Size: ; Batch: 4,500 units	Batch#: CBDFX-LLM-1500-C3-0619	Chatsworth, CA 91311	

### **Residual Solvents**

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Butane	6.01	18.212	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethanol	3.032	9.189	5000	ND	Pass
Hexanes	6.442	19.522	290	ND	Pass
Pentane	5.625	12.046	5000	ND	Pass
Propane	2.445	7.409	5000	15.700	Pass



Date Tested: 06/12/2019 NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Solvents Test Method: GC/MS FID SOP-701





Mohammad Lutfi Lab Director

Clab Director O(715/2019 All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;



6 of 6

Pass

# Lemon, Lime, Mint Tincture 1500

Sample ID: 1906BCL0038.0128	Produced:	Client	
Strain: cbd	Collected:	CBD FX	
Matrix: Ingestible	Received: 06/12/2019	Lic.#	
Type: Liquid Fats (Oils)	Completed: 06/15/2019	19801 Nordhoff Place #107	
Sample Size: ; Batch: 4,500 units	Batch#: CBDFX-LLM-1500-C3-0619	Chatsworth, CA 91311	

### **Heavy Metals**

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0001	0.00035	0.0015	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	0.00001	0.00002	0.0005	<loq< td=""><td>Pass</td></loq<>	Pass
Lead	0.00036	0.0011	0.0005	ND	Pass
Mercury	0.00001	0.00002	0.003	ND	Pass



Date Tested: 06/13/2019 NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Heavy Metals Test Method: ICPMS SOP-601





Mohammad Lutfi Lab Director

Clab Director O(715/2019 All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;